

愉進科技有限公司

EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

AUTO LEDs: Hot Sale

Pictures	Item No.	Color	λ D(nm) Typ.	Operate Voltage Range (VDC)	Current @12Volt Unit: mA	Luminous Intensity (Lm)	Viewing Angle	Unit Price
	T5-1T-W T5-1T-R T5-1T-Y T5-1T-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	15	3.5 0.95 0.9 1.1	120	US\$0.23
	T5-3T-W T5-3T-R T5-3T-Y T5-3T-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	15	9 2.7 2.4 3	150	US\$0.72
	T10-7T-W T10-7T-R T10-7T-Y T10-7T-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	45	16 4.5 4.3 5	100	US\$0.83
	T10-9T-W T10-9T-R T10-9T-Y T10-9T-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	45	24 7.2 7.0 7.5	80	US\$0.98
	T10-9P-W T10-9P-R T10-9P-Y T10-9P-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	30	24 7.2 7.0 7.5	180	US\$1.86
	T10-1S-W T10-1S-R T10-1S-Y T10-1S-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	15	7.5 2.5 2.4 3.0	150	US\$0.99
	T10-4S-W T10-4S-R T10-4S-Y T10-4S-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	30	10.0 3.2 3.1 3.5	150	US\$1.20

愉進科技有限公司



EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

Pictures	Item No.	Color	λ D(nm) Typ.	Operate Voltage Range (VDC)	Current @12Volt Unit: mA	Luminous Intensity (Lm)	Viewing Angle	Unit Price
	T10-5S-W	White	9000K	11.5-15	60	25.0	300	US\$3.62
	T10-5S-R	Red	620-630			8.0		
	T10-5S-Y	Yellow	585-595			7.8		
	T10-5S-B	Blue	465-470			8.5		
	T10-9S-W	White	9000K	11.5-15	70	45.0	300	US\$5.18
	T10-9S-R	Red	620-630			15.0		
	T10-9S-Y	Yellow	585-595			14.5		
	T10-9S-B	Blue	465-470			16.0		
	T10-9S'-W	White	9000K	11.5-15	70	26.0	300	US\$2.63
	T10-9S'-R	Red	620-630			8.5		
	T10-9S'-Y	Yellow	585-595			7.95		
	T10-9S'-B	Blue	465-470			8.9		
	T10-0.5W-8T-W	White	9000K	11.5-15	65	30.0	300	US\$2.57
	T10-0.5W-8T-R	Red	620-630			11.2		
	T10-0.5W-8T-Y	Yellow	585-595			11.0		
	T10-0.5W-8T-B	Blue	465-470			12.5		
	T10-1W-W	White	9000K	11.5-15	60	20.0	180	US\$1.55
	T10-1W-B	Blue	465-470	7.2				
	T10-1W-R	Red	620-630	11.5-15		8.0	180	US\$2.16
	T10-1W-Y	Yellow	585-595			7.8		
	T10-1W-G	Green	515-525			19.0		
	BA9S-1W-W	White	9000K	11.5-15	60	20.0	180	US\$1.55
	BA9S-1W-B	Blue	465-470	7.2				
	BA9S-1W-R	Red	620-630	11.5-15	60	8.0	180	US\$2.16
	BA9S-1W-Y	Yellow	585-595			7.8		
	BA9S-1W-G	Green	515-525			19.0		
	BA9S-5S-W	White	9000K	11.5-15	50	25.0	300	US\$3.62
	BA9S-5S-R	Red	620-630			8.0		
	BA9S-5S-Y	Yellow	585-595			7.8		
	BA9S-5S-B	Blue	465-470			8.5		

愉進科技有限公司






EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

Pictures	Item No.	Color	λ D(nm) Typ.	Operate Voltage Range (VDC)	Current @12Volt Unit: mA	Luminous Intensity (Lm)	Viewing Angle	Unit Price
	BA9S-1S-W BA9S-1S-R BA9S-1S-Y BA9S-1S-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	15	7.5 2.5 2.4 3.0	150	US\$0.99
	T10-8S-F42-W T10-8S-F42-R T10-8S-F42-Y T10-8S-F42-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	45	23.0 7.5 6.8 7.5	180	US\$2.48
	PCB-18S-35x65-W PCB-18S-35x65-R PCB-18S-35x65-Y PCB-18S-35x65-B	White Red Yellow Blue	9000K 620-630 585-595 465-470	11.5-15	90	45.0 15.0 14.6 18.2	180	US\$8.91
	R-50W-6ohm	Resistor	6 Ohm	11.5-15	2000	49.45 x 15.15 x 15.42mm		US\$2.64
	R-27W-6ohm	Resistor	6 Ohm	11.5-15	1500	27.40 x 15.24 x 15.40mm		US\$1.98